



Truflex® V-Belts

LIGHT DUTY V-BELTS


Truflex belts feature superior length stability for minimal take-up requirements.

Markets/Applications

Suitable for all industrial light duty applications, usually using fractional horsepower (FHP) motors.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves

Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed

Notes

Truflex belts are offered in cross sections 2L (0), 3L (1), 4L (2), 5L (3).

Product No. Series 8400

0 or 2L Section



Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0100	2L100	\$5.99	8400-0100	10.0	.02	1
0110	2L110	5.99	8400-0110	11.0	.01	1
0120	2L120	5.99	8400-0120	12.0	.02	1
0130	2L130	5.99	8400-0130	13.0	.03	1
0140	2L140	5.99	8400-0140	14.0	.01	1
0150	2L150	5.99	8400-0150	15.0	.03	1
0160	2L160	5.99	8400-0160	16.0	.03	1
0170	2L170	5.99	8400-0170	17.0	.04	1
0180	2L180	5.99	8400-0180	18.0	.04	1
0190	2L190	5.99	8400-0190	19.0	.01	1
0200	2L200	5.99	8400-0200	20.0	.04	1
0210	2L210	5.99	8400-0210	21.0	.01	1
0230	2L230	5.99	8400-0230	23.0	.02	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
0240	2L240	\$5.99	8400-0240	24.0	.02	1
0250	2L250	5.99	8400-0250	25.0	.02	1
0260	2L260	6.12	8400-0260	26.0	.02	1
0270	2L270	6.22	8400-0270	27.0	.02	1
0280	2L280	6.31	8400-0280	28.0	.05	1
0290	2L290	6.42	8400-0290	29.0	.04	1
0310	2L310	6.57	8400-0310	31.0	.05	1
0340	2L340	6.89	8400-0340	34.0	.04	1
0350	2L350	7.05	8400-0350	35.0	.05	1
0360	2L360	7.13	8400-0360	36.0	.06	1
0380	2L380	7.46	8400-0380	38.0	.06	1
0460	2L460	8.46	8400-0460	46.0	.10	1

1 or 3L Section



Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1110	3L110	\$5.99	8400-1110	11.0	.02	1
1120	3L120	5.99	8400-1120	12.0	.03	1
1130	3L130	5.99	8400-1130	13.0	.05	1
1140	3L140	5.99	8400-1140	14.0	.05	1
1150	3L150	5.99	8400-1150	15.0	.06	1
1160	3L160	5.99	8400-1160	16.0	.06	1
1170	3L170	5.99	8400-1170	17.0	.07	1
1180	3L180	5.99	8400-1180	18.0	.07	1
1190	3L190	5.99	8400-1190	19.0	.08	1
1200	3L200	5.99	8400-1200	20.0	.05	1
1210	3L210	5.99	8400-1210	21.0	.07	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1220	3L220	\$5.99	8400-1220	22.0	.10	1
1230	3L230	5.99	8400-1230	23.0	.09	1
1240	3L240	5.99	8400-1240	24.0	.10	1
1245	3L245	5.99	8400-1245	24.5	.10	1
1250	3L250	5.99	8400-1250	25.0	.10	1
1255	3L255	6.12	8400-1255	25.5	.10	1
1260	3L260	6.12	8400-1260	26.0	.10	1
1265	3L265	6.22	8400-1265	26.5	.10	1
1270	3L270	6.22	8400-1270	27.0	.10	1
1275	3L275	6.31	8400-1275	27.5	.10	1
1280	3L280	6.31	8400-1280	28.0	.10	1

Prices Subject to Change Without Notice





Truflex® V-Belts

LIGHT DUTY V-BELTS

Product No. Series 8400 (continued)

1 or 3L Section (continued)

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1285	3L285	\$6.42	8400-1285	28.5	.10	1
1290	3L290	6.42	8400-1290	29.0	.10	1
1293	3L293	6.54	8400-1293	29.2	.10	1
1300	3L300	6.54	8400-1300	30.0	.11	1
1310	3L310	6.57	8400-1310	31.0	.10	1
1320	3L320	6.66	8400-1320	32.0	.12	1
1330	3L330	6.79	8400-1330	33.0	.12	1
1340	3L340	6.89	8400-1340	34.0	.10	1
1345	3L345	7.05	8400-1345	34.2	.15	1
1350	3L350	7.05	8400-1350	35.0	.10	1
1360	3L360	7.13	8400-1360	36.0	.12	1
1370	3L370	7.29	8400-1370	37.0	.10	1
1380	3L380	7.46	8400-1380	38.0	.15	1
1390	3L390	7.61	8400-1390	39.0	.15	1
1400	3L400	7.73	8400-1400	40.0	.15	1
1410	3L410	7.88	8400-1410	41.0	.15	1
1415	3L415	8.01	8400-1415	41.5	.15	1
1420	3L420	8.01	8400-1420	42.0	.15	1
1430	3L430	8.10	8400-1430	43.0	.15	1
1440	3L440	8.20	8400-1440	44.0	.15	1
1450	3L450	8.36	8400-1450	45.0	.15	1
1460	3L460	8.46	8400-1460	46.0	.10	1
1470	3L470	8.62	8400-1470	47.0	.15	1
1480	3L480	8.71	8400-1480	48.0	.17	1
1490	3L490	8.83	8400-1490	49.0	.18	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
1500	3L500	\$8.93	8400-1500	50.0	.15	1
1510	3L510	9.03	8400-1510	51.0	.15	1
1520	3L520	9.11	8400-1520	52.0	.20	1
1530	3L530	9.23	8400-1530	53.0	.20	1
1540	3L540	9.34	8400-1540	54.0	.19	1
1550	3L550	9.43	8400-1550	55.0	.15	1
1560	3L560	9.53	8400-1560	56.0	.20	1
1570	3L570	9.61	8400-1570	57.0	.15	1
1580	3L580	9.74	8400-1580	58.0	.20	1
1590	3L590	9.84	8400-1590	59.0	.15	1
1600	3L600	9.93	8400-1600	60.0	.20	1
1610	3L610	10.08	8400-1610	61.0	.15	1
1620	3L620	10.17	8400-1620	62.0	.15	1
1630	3L630	10.30	8400-1630	63.0	.15	1
1640	3L640	10.40	8400-1640	64.0	.15	1
1650	3L650	10.57	8400-1650	65.0	.15	1
1660	3L660	10.65	8400-1660	66.0	.15	1
1670	3L670	10.80	8400-1670	67.0	.20	1
1675	3L675	10.91	8400-1675	67.5	.20	1
1680	3L680	10.91	8400-1680	68.0	.20	1
1690	3L690	11.00	8400-1690	69.0	.18	1
1700	3L700	11.15	8400-1700	70.0	.18	1
1710	3L710	11.25	8400-1710	71.0	.18	1
1730	3L730	11.56	8400-1730	73.0	.20	1
1740	3L740	11.72	8400-1740	74.0	.21	1

2 or 4L Section

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2150	4L150	\$6.38	8400-2150	15.0	.08	1
2160	4L160	6.38	8400-2160	16.0	.07	1
2170	4L170	6.38	8400-2170	17.0	.10	1
2180	4L180	6.38	8400-2180	18.0	.10	1
2188	4L188	6.38	8400-2188	18.7	.10	1
2190	4L190	6.38	8400-2190	19.0	.10	1
2200	4L200	6.38	8400-2200	20.0	.10	1
2210	4L210	6.38	8400-2210	21.0	.10	1
2215	4L215	6.38	8400-2215	21.5	.15	1
2220	4L220	6.38	8400-2220	22.0	.10	1
2230	4L230	6.38	8400-2230	23.0	.10	1
2235	4L235	6.38	8400-2235	23.5	.10	1
2240	4L240	6.38	8400-2240	24.0	.15	1
2250	4L250	6.38	8400-2250	25.0	.10	1
2255	4L255	6.48	8400-2255	25.5	.10	1
2260	4L260	6.48	8400-2260	26.0	.10	1
2270	4L270	6.60	8400-2270	27.0	.15	1
2275	4L275	6.69	8400-2275	27.5	.15	1
2280	4L280	6.69	8400-2280	28.0	.16	1
2285	4L285	6.79	8400-2285	28.5	.16	1
2290	4L290	6.79	8400-2290	29.0	.14	1
2295	4L295	6.89	8400-2295	29.5	.20	1
2300	4L300	6.89	8400-2300	30.0	.15	1
2310	4L310	7.01	8400-2310	31.0	.15	1
2318	4L318	7.11	8400-2318	31.7	.20	1
2320	4L320	7.11	8400-2320	32.0	.10	1
2328	4L328	7.19	8400-2328	32.7	.18	1
2330	4L330	7.19	8400-2330	33.0	.20	1
2333	4L333	7.35	8400-2333	33.2	.20	1



Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2338	4L338	\$7.35	8400-2338	33.7	.20	1
2340	4L340	7.35	8400-2340	34.0	.20	1
2346	4L346	7.46	8400-2346	34.5	.20	1
2350	4L350	7.46	8400-2350	35.0	.20	1
2360	4L360	7.62	8400-2360	36.0	.20	1
2370	4L370	7.70	8400-2370	37.0	.20	1
2380	4L380	7.86	8400-2380	38.0	.20	1
2390	4L390	8.10	8400-2390	39.0	.20	1
2400	4L400	8.21	8400-2400	40.0	.20	1
2405	4L405	8.37	8400-2405	40.5	.25	1
2410	4L410	8.37	8400-2410	41.0	.20	1
2420	4L420	8.50	8400-2420	42.0	.20	1
2430	4L430	8.64	8400-2430	43.0	.20	1
2440	4L440	8.85	8400-2440	44.0	.25	1
2450	4L450	9.01	8400-2450	45.0	.25	1
2460	4L460	9.10	8400-2460	46.0	.25	1
2470	4L470	9.20	8400-2470	47.0	.25	1
2475	4L475	9.26	8400-2475	47.5	.25	1
2480	4L480	9.26	8400-2480	48.0	.25	1
2490	4L490	9.37	8400-2490	49.0	.25	1
2500	4L500	9.45	8400-2500	50.0	.25	1
2510	4L510	9.59	8400-2510	51.0	.25	1
2520	4L520	9.68	8400-2520	52.0	.25	1
2530	4L530	9.77	8400-2530	53.0	.25	1
2540	4L540	9.86	8400-2540	54.0	.30	1
2550	4L550	9.99	8400-2550	55.0	.30	1
2560	4L560	10.12	8400-2560	56.0	.30	1
2570	4L570	10.25	8400-2570	57.0	.30	1
2580	4L580	10.34	8400-2580	58.0	.30	1

Prices Subject to Change Without Notice





Truflex® V-Belts

LIGHT DUTY V-BELTS

Product No. Series 8400 (continued)

2 or 4L Section (continued)

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2590	4L590	\$10.44	8400-2590	59.0	.30	1
2600	4L600	10.59	8400-2600	60.0	.35	1
2610	4L610	10.68	8400-2610	61.0	.30	1
2620	4L620	10.81	8400-2620	62.0	.30	1
2630	4L630	10.95	8400-2630	63.0	.35	1
2640	4L640	11.08	8400-2640	64.0	.35	1
2650	4L650	11.23	8400-2650	65.0	.35	1
2660	4L660	11.32	8400-2660	66.0	.35	1
2670	4L670	11.43	8400-2670	67.0	.35	1
2680	4L680	11.58	8400-2680	68.0	.35	1
2690	4L690	11.75	8400-2690	69.0	.35	1
2700	4L700	11.83	8400-2700	70.0	.35	1
2710	4L710	12.08	8400-2710	71.0	.40	1
2720	4L720	12.34	8400-2720	72.0	.35	1
2730	4L730	12.43	8400-2730	73.0	.40	1
2740	4L740	12.50	8400-2740	74.0	.40	1
2750	4L750	12.59	8400-2750	75.0	.40	1
2760	4L760	12.71	8400-2760	76.0	.40	1
2770	4L770	12.84	8400-2770	77.0	.45	1
2780	4L780	13.06	8400-2780	78.0	.35	1
2790	4L790	13.26	8400-2790	79.0	.45	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
2800	4L800	\$13.49	8400-2800	80.0	.45	1
2810	4L810	13.68	8400-2810	81.0	.45	1
2820	4L820	13.89	8400-2820	82.0	.45	1
2830	4L830	14.08	8400-2830	83.0	.45	1
2840	4L840	14.30	8400-2840	84.0	.45	1
2850	4L850	14.49	8400-2850	85.0	.45	1
2860	4L860	14.72	8400-2860	86.0	.45	1
2870	4L870	14.91	8400-2870	87.0	.45	1
2880	4L880	15.13	8400-2880	88.0	.45	1
2890	4L890	15.32	8400-2890	89.0	.45	1
2900	4L900	15.54	8400-2900	90.0	.45	1
2910	4L910	15.72	8400-2910	91.0	.50	1
2920	4L920	15.95	8400-2920	92.0	.52	1
2930	4L930	16.15	8400-2930	93.0	.50	1
2940	4L940	16.30	8400-2940	94.0	.50	1
2950	4L950	16.47	8400-2950	95.0	.50	1
2960	4L960	16.66	8400-2960	96.0	.55	1
2970	4L970	16.81	8400-2970	97.0	.55	1
2980	4L980	16.97	8400-2980	98.0	.55	1
2990	4L990	17.19	8400-2990	99.0	.55	1
21000	4L1000	17.32	8400-2100	100.0	.56	1



3 or 5L Section

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3230	5L230	\$7.80	8400-3230	23.0	.20	1
3240	5L240	7.80	8400-3240	24.0	.22	1
3250	5L250	7.80	8400-3250	25.0	.20	1
3260	5L260	8.02	8400-3260	26.0	.20	1
3265	5L265	8.21	8400-3265	26.5	.25	1
3270	5L270	8.21	8400-3270	27.0	.25	1
3280	5L280	8.37	8400-3280	28.0	.25	1
3290	5L290	8.59	8400-3290	29.0	.25	1
3300	5L300	8.75	8400-3300	30.0	.25	1
3310	5L310	8.94	8400-3310	31.0	.30	1
3320	5L320	9.17	8400-3320	32.0	.25	1
3330	5L330	9.37	8400-3330	33.0	.30	1
3340	5L340	9.59	8400-3340	34.0	.30	1
3350	5L350	9.71	8400-3350	35.0	.30	1
3355	5L355	9.93	8400-3355	35.5	.30	1
3360	5L360	9.93	8400-3360	36.0	.30	1
3370	5L370	10.08	8400-3370	37.0	.30	1
3380	5L380	10.27	8400-3380	38.0	.30	1
3390	5L390	10.59	8400-3390	39.0	.35	1
3400	5L400	11.00	8400-3400	40.0	.35	1
3410	5L410	11.32	8400-3410	41.0	.35	1
3420	5L420	11.58	8400-3420	42.0	.30	1
3430	5L430	11.83	8400-3430	43.0	.39	1
3440	5L440	12.08	8400-3440	44.0	.35	1
3450	5L450	12.34	8400-3450	45.0	.35	1
3460	5L460	12.59	8400-3460	46.0	.40	1
3470	5L470	12.84	8400-3470	47.0	.40	1
3480	5L480	13.14	8400-3480	48.0	.40	1
3490	5L490	13.38	8400-3490	49.0	.40	1
3500	5L500	13.57	8400-3500	50.0	.45	1
3510	5L510	13.79	8400-3510	51.0	.45	1
3520	5L520	13.98	8400-3520	52.0	.45	1
3530	5L530	14.21	8400-3530	53.0	.45	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3540	5L540	\$14.41	8400-3540	54.0	.50	1
3550	5L550	14.56	8400-3550	55.0	.50	1
3560	5L560	14.64	8400-3560	56.0	.50	1
3570	5L570	14.81	8400-3570	57.0	.50	1
3580	5L580	14.91	8400-3580	58.0	.50	1
3590	5L590	15.03	8400-3590	59.0	.50	1
3600	5L600	15.13	8400-3600	60.0	.50	1
3610	5L610	15.21	8400-3610	61.0	.55	1
3620	5L620	15.32	8400-3620	62.0	.55	1
3630	5L630	15.42	8400-3630	63.0	.56	1
3640	5L640	15.64	8400-3640	64.0	.50	1
3650	5L650	15.82	8400-3650	65.0	.60	1
3660	5L660	16.04	8400-3660	66.0	.50	1
3670	5L670	16.24	8400-3670	67.0	.60	1
3680	5L680	16.47	8400-3680	68.0	.60	1
3690	5L690	16.66	8400-3690	69.0	.60	1
3700	5L700	16.81	8400-3700	70.0	.60	1
3710	5L710	16.97	8400-3710	71.0	.65	1
3720	5L720	17.19	8400-3720	72.0	.65	1
3730	5L730	17.44	8400-3730	73.0	.70	1
3740	5L740	17.63	8400-3740	74.0	.65	1
3750	5L750	17.86	8400-3750	75.0	.70	1
3760	5L760	18.05	8400-3760	76.0	.60	1
3770	5L770	18.30	8400-3770	77.0	.65	1
3780	5L780	18.53	8400-3780	78.0	.70	1
3790	5L790	18.77	8400-3790	79.0	.70	1
3800	5L800	19.03	8400-3800	80.0	.70	1
3810	5L810	19.28	8400-3810	81.0	.70	1
3820	5L820	19.54	8400-3820	82.0	.70	1
3830	5L830	19.80	8400-3830	83.0	.70	1
3840	5L840	20.04	8400-3840	84.0	.75	1
3850	5L850	20.58	8400-3850	85.0	.75	1
3860	5L860	20.74	8400-3860	86.0	.75	1

Prices Subject to Change Without Notice





Truflex® V-Belts

LIGHT DUTY V-BELTS

Product No. Series 8400 (continued)

3 or 5L Section (continued)

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3870	5L870	\$20.93	8400-3870	87.0	.80	1
3880	5L880	21.08	8400-3880	88.0	.80	1
3890	5L890	21.29	8400-3890	89.0	.70	1
3900	5L900	21.51	8400-3900	90.0	.70	1
3910	5L910	21.70	8400-3910	91.0	.75	1
3920	5L920	21.92	8400-3920	92.0	.75	1
3930	5L930	22.10	8400-3930	93.0	.70	1

Part No.	Industry No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3940	5L940	\$22.43	8400-3940	94.0	.85	1
3950	5L950	22.78	8400-3950	95.0	.75	1
3960	5L960	23.15	8400-3960	96.0	.70	1
3970	5L970	23.41	8400-3970	97.0	.85	1
3980	5L980	23.66	8400-3980	98.0	.80	1
3990	5L990	23.91	8400-3990	99.0	.85	1
3999	5L1000	24.16	8400-3100	100.0	.80	1

Prices Subject to Change Without Notice





PowerRated® V-Belts

LIGHT DUTY V-BELTS

These green belts are an alternative to conventional light-duty belts, with high performance construction delivering more horsepower, less stretch and providing longer service life.

Markets/Applications

PowerRated belts are suitable for outdoor power equipment, appliances and industrial applications where FHP belts are typically used.

Features/Advantages


- **Bareback construction** for smooth clutching on shock loaded, backside-idler driven equipment.
- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability.
- Meets **RMA oil and heat resistant** standards.

Recommended Sheaves

Light-Duty Sheaves-Bored-to-Size
Light-Duty Sheaves-Variable Pitch
Light-Duty Sheaves-Bushed

Notes

PowerRated belts do not meet RMA requirements for static conductivity.



Industry Designation	Gates Truflex® Section	PowerRated Section
3L	1	67 (3/8" T.W.)
4L	2	68 (1/2" T.W.)
5L	3	69 (21/32" T.W.)

Product No. Series 8423



1 or 3L Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6716	\$11.30	8423-6716	16.0	.15	1
6717	11.30	8423-6717	17.0	.07	1
6718	11.30	8423-6718	18.0	.08	1
6719	11.30	8423-6719	19.0	.08	1
6720	11.30	8423-6720	20.0	.08	1
6721	11.30	8423-6721	21.0	.15	1
6722	11.30	8423-6722	22.0	.10	1
6723	11.30	8423-6723	23.0	.07	1
6724	11.30	8423-6724	24.0	.09	1
6725	11.30	8423-6725	25.0	.09	1
6726	11.50	8423-6726	26.0	.10	1
6727	11.68	8423-6727	27.0	.10	1
6728	11.88	8423-6728	28.0	.10	1
6729	12.07	8423-6729	29.0	.10	1
6730	12.28	8423-6730	30.0	.10	1
6731	12.37	8423-6731	31.0	.05	1
6732	12.54	8423-6732	32.0	.10	1
6733	12.74	8423-6733	33.0	.10	1
6734	12.93	8423-6734	34.0	.15	1
6735	13.22	8423-6735	35.0	.15	1
6736	13.41	8423-6736	36.0	.05	1
6737	13.72	8423-6737	37.0	.10	1
6738	14.01	8423-6738	38.0	.10	1
6739	14.27	8423-6739	39.0	.15	1
6740	14.58	8423-6740	40.0	.15	1
6741	14.85	8423-6741	41.0	.15	1
6742	15.06	8423-6742	42.0	.10	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6743	\$15.24	8423-6743	43.0	.15	1
6744	15.47	8423-6744	44.0	.15	1
6745	15.71	8423-6745	45.0	.15	1
6746	16.02	8423-6746	46.0	.15	1
6747	16.22	8423-6747	47.0	.15	1
6748	16.41	8423-6748	48.0	.20	1
6749	16.62	8423-6749	49.0	.15	1
6750	16.76	8423-6750	50.0	.15	1
6751	16.91	8423-6751	51.0	.20	1
6752	17.15	8423-6752	52.0	.20	1
6753	17.39	8423-6753	53.0	.20	1
6754	17.59	8423-6754	54.0	.20	1
6755	17.80	8423-6755	55.0	.20	1
6756	18.05	8423-6756	56.0	.20	1
6757	18.27	8423-6757	57.0	.20	1
6758	18.48	8423-6758	58.0	.20	1
6759	18.65	8423-6759	59.0	.20	1
6760	18.83	8423-6760	60.0	.20	1
6761	18.98	8423-6761	61.0	.20	1
6762	19.16	8423-6762	62.0	.20	1
6763	19.31	8423-6763	63.0	.20	1
6764	19.44	8423-6764	64.0	.25	1
6765	19.64	8423-6765	65.0	.20	1
6766	19.84	8423-6766	66.0	.25	1
6774	21.21	8423-6774	74.0	.30	1

Prices Subject to Change Without Notice





PowerRated® V-Belts

LIGHT DUTY V-BELTS

Product No. Series 8423 (continued)


2 or 4L Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6817	\$11.88	8423-6817	17.0	.20	1
6818	11.88	8423-6818	18.0	.20	1
6819	11.88	8423-6819	19.0	.10	1
6820	11.88	8423-6820	20.0	.10	1
6821	11.88	8423-6821	21.0	.10	1
6822	11.88	8423-6822	22.0	.13	1
6823	11.88	8423-6823	23.0	.15	1
6824	11.88	8423-6824	24.0	.15	1
6825	11.88	8423-6825	25.0	.15	1
6826	12.07	8423-6826	26.0	.15	1
6827	12.28	8423-6827	27.0	.15	1
6828	12.47	8423-6828	28.0	.17	1
6829	12.67	8423-6829	29.0	.20	1
6830	12.83	8423-6830	30.0	.15	1
6831	13.02	8423-6831	31.0	.20	1
6832	13.22	8423-6832	32.0	.15	1
6833	13.41	8423-6833	33.0	.20	1
6834	13.72	8423-6834	34.0	.20	1
6835	13.88	8423-6835	35.0	.20	1
6836	14.20	8423-6836	36.0	.20	1
6837	14.40	8423-6837	37.0	.25	1
6838	14.66	8423-6838	38.0	.25	1
6839	15.06	8423-6839	39.0	.25	1
6840	15.32	8423-6840	40.0	.25	1
6841	15.63	8423-6841	41.0	.25	1
6842	15.83	8423-6842	42.0	.25	1
6843	16.10	8423-6843	43.0	.27	1
6844	16.49	8423-6844	44.0	.25	1
6845	16.76	8423-6845	45.0	.28	1
6846	16.95	8423-6846	46.0	.30	1
6847	17.16	8423-6847	47.0	.30	1
6848	17.27	8423-6848	48.0	.30	1
6849	17.42	8423-6849	49.0	.30	1
6850	17.61	8423-6850	50.0	.30	1
6851	17.81	8423-6851	51.0	.30	1
6852	18.01	8423-6852	52.0	.25	1
6853	18.21	8423-6853	53.0	.30	1
6854	18.40	8423-6854	54.0	.35	1
6855	18.59	8423-6855	55.0	.30	1
6856	18.86	8423-6856	56.0	.35	1
6857	19.07	8423-6857	57.0	.35	1
6858	19.25	8423-6858	58.0	.35	1
6859	19.45	8423-6859	59.0	.40	1
6860	19.72	8423-6860	60.0	.35	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6861	\$19.91	8423-6861	61.0	.35	1
6862	20.11	8423-6862	62.0	.35	1
6863	20.42	8423-6863	63.0	.40	1
6864	20.63	8423-6864	64.0	.40	1
6865	20.89	8423-6865	65.0	.40	1
6866	21.09	8423-6866	66.0	.40	1
6867	21.28	8423-6867	67.0	.40	1
6868	21.55	8423-6868	68.0	.40	1
6869	21.87	8423-6869	69.0	.40	1
6870	22.03	8423-6870	70.0	.45	1
6871	22.53	8423-6871	71.0	.40	1
6872	23.00	8423-6872	72.0	.40	1
6873	23.19	8423-6873	73.0	.45	1
6874	23.27	8423-6874	74.0	.45	1
6875	23.47	8423-6875	75.0	.40	1
6876	23.66	8423-6876	76.0	.45	1
6877	23.98	8423-6877	77.0	.50	1
6878	24.32	8423-6878	78.0	.45	1
6879	24.71	8423-6879	79.0	.45	1
6880	25.10	8423-6880	80.0	.45	1
6881	25.49	8423-6881	81.0	.50	1
6882	25.88	8423-6882	82.0	.50	1
6883	26.27	8423-6883	83.0	.50	1
6884	26.66	8423-6884	84.0	.50	1
6885	27.01	8423-6885	85.0	.50	1
6886	27.41	8423-6886	86.0	.55	1
6887	27.80	8423-6887	87.0	.50	1
6888	28.19	8423-6888	88.0	.55	1
6889	28.57	8423-6889	89.0	.56	1
6890	28.93	8423-6890	90.0	.55	1
6891	29.32	8423-6891	91.0	.55	1
6892	29.67	8423-6892	92.0	.55	1
6893	30.09	8423-6893	93.0	.60	1
6894	30.37	8423-6894	94.0	.55	1
6895	30.67	8423-6895	95.0	.55	1
6896	31.02	8423-6896	96.0	.60	1
6897	31.35	8423-6897	97.0	.55	1
6898	31.77	8423-6898	98.0	.55	1
6899	32.01	8423-6899	99.0	.62	1
68100	32.33	8423-8100	100.0	.65	1
68105	33.26	8423-8105	105.0	.70	1
68107	33.99	8423-8107	107.0	.70	1
68117	37.62	8423-8117	117.0	.75	1

3 or 5L Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6923	\$13.90	8423-6923	23.0	.20	1
6924	14.28	8423-6924	24.0	.20	1
6925	14.58	8423-6925	25.0	.20	1
6926	14.96	8423-6926	26.0	.25	1
6927	15.32	8423-6927	27.0	.25	1
6928	15.66	8423-6928	28.0	.20	1
6929	16.02	8423-6929	29.0	.30	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6930	\$16.30	8423-6930	30.0	.30	1
6931	16.69	8423-6931	31.0	.30	1
6932	17.08	8423-6932	32.0	.30	1
6933	17.42	8423-6933	33.0	.30	1
6934	17.81	8423-6934	34.0	.30	1
6935	18.12	8423-6935	35.0	.35	1
6936	18.47	8423-6936	36.0	.35	1

Prices Subject to Change Without Notice





PowerRated® V-Belts

LIGHT DUTY V-BELTS

Product No. Series 8423 (continued)

3 or 5L Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6937	\$18.78	8423-6937	37.0	.35	1
6938	19.17	8423-6938	38.0	.35	1
6939	19.72	8423-6939	39.0	.40	1
6940	20.50	8423-6940	40.0	.40	1
6941	21.09	8423-6941	41.0	.40	1
6942	21.55	8423-6942	42.0	.40	1
6943	22.03	8423-6943	43.0	.45	1
6944	22.53	8423-6944	44.0	.40	1
6945	23.00	8423-6945	45.0	.45	1
6946	23.47	8423-6946	46.0	.25	1
6947	23.98	8423-6947	47.0	.45	1
6948	24.45	8423-6948	48.0	.47	1
6949	24.91	8423-6949	49.0	.45	1
6950	25.30	8423-6950	50.0	.45	1
6951	25.69	8423-6951	51.0	.50	1
6952	26.08	8423-6952	52.0	.55	1
6953	26.47	8423-6953	53.0	.55	1
6954	26.81	8423-6954	54.0	.50	1
6955	27.13	8423-6955	55.0	.50	1
6956	27.33	8423-6956	56.0	.50	1
6957	27.60	8423-6957	57.0	.55	1
6958	27.80	8423-6958	58.0	.56	1
6959	27.99	8423-6959	59.0	.55	1
6960	28.19	8423-6960	60.0	.60	1
6961	28.37	8423-6961	61.0	.55	1
6962	28.57	8423-6962	62.0	.60	1
6963	28.76	8423-6963	63.0	.65	1
6964	29.11	8423-6964	64.0	.60	1
6965	29.50	8423-6965	65.0	.65	1
6966	29.89	8423-6966	66.0	.65	1
6967	30.28	8423-6967	67.0	.65	1
6968	30.67	8423-6968	68.0	.65	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
6969	\$31.06	8423-6969	69.0	.65	1
6970	31.35	8423-6970	70.0	.70	1
6971	31.62	8423-6971	71.0	.65	1
6972	32.01	8423-6972	72.0	.65	1
6973	32.48	8423-6973	73.0	.70	1
6974	32.87	8423-6974	74.0	.75	1
6975	33.25	8423-6975	75.0	.70	1
6976	33.64	8423-6976	76.0	.70	1
6977	34.07	8423-6977	77.0	.75	1
6978	34.50	8423-6978	78.0	.80	1
6979	34.96	8423-6979	79.0	.80	1
6980	35.47	8423-6980	80.0	.75	1
6981	35.94	8423-6981	81.0	.80	1
6982	36.40	8423-6982	82.0	.75	1
6983	36.95	8423-6983	83.0	.75	1
6984	37.38	8423-6984	84.0	.80	1
6985	37.81	8423-6985	85.0	.80	1
6986	38.28	8423-6986	86.0	.80	1
6987	38.71	8423-6987	87.0	.80	1
6988	39.06	8423-6988	88.0	.85	1
6989	39.58	8423-6989	89.0	.80	1
6990	40.06	8423-6990	90.0	.85	1
6991	40.18	8423-6991	91.0	.85	1
6992	40.42	8423-6992	92.0	.90	1
6993	40.77	8423-6993	93.0	.85	1
6994	41.36	8423-6994	94.0	.90	1
6995	41.98	8423-6995	95.0	.85	1
6996	42.68	8423-6996	96.0	.95	1
6997	43.16	8423-6997	97.0	.90	1
6998	44.08	8423-6998	98.0	.90	1
6999	44.55	8423-6999	99.0	.90	1
69100	45.01	8423-9100	100.0	.90	1

Prices Subject to Change Without Notice





BladeRunner® Belts

LIGHT DUTY V-BELTS


BladeRunner belts are engineered and build to exactly match the composition, construction and fit of the most popular lawn and garden brand names.

Markets/Applications

BladeRunner belts are specifically designed for use on lawn and garden equipment.

Features/Advantages

- Exact OEM fit and construction means more value and longer life.
- Built to withstand the rigorous start and stop operation of lawn and garden equipment.
- **Aramid cord construction** is utilized in many cases, providing longer service life during frequent and service shock loads.



Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6400BR	\$21.62	9200-56400	86 1/2	.56	Wrapped
6401BR	27.03	9200-56401	89 3/4	.56	Wrapped
6402BR	26.54	8580-56402	74 3/4	.66	Wrapped
6403BR	24.04	8580-56403	69 3/4	.66	Wrapped
6405BR	17.26	8580-56405	43 1/2	.66	Wrapped
6406BR	31.27	8580-56406	60 3/4	.66	Wrapped
6407BR	26.29	9238-56407	91 1/8	.50	Wrapped
6408BR	30.76	8580-56408	78 3/4	.66	Wrapped
6409BR	46.39	9240-56409	122 1/4	.50	Double-V
6411BR	10.57	8580-56411	30 1/2	.38	Wrapped
6412BR	24.84	9200-56412	84 7/8	.56	Wrapped
6413BR	20.85	8075-13313	32.48	.31	60° M Section
6414BR	29.68	8580-56414	78 1/2	.50	Wrapped
6415BR	28.60	8580-56415	82 1/2	.50	Wrapped
6416BR	42.74	8580-56416	100 3/7	.66	Wrapped
6417BR	29.11	8580-56417	76 1/2	.50	Wrapped
6418BR	30.59	9226-56418	88 3/4	.56	Wrapped
6419BR	24.22	8580-56419	55 1/8	.88	Wrapped
6421BR	32.56	8580-56421	85 3/4	.66	Wrapped
6422BR	18.86	8580-56422	46 3/4	.50	Wrapped
6423BR	19.90	9212-46423	45 1/2	.66	Cogged
6424BR	21.87	8580-56424	74 1/2	.50	Wrapped
6425BR	10.67	8580-56425	41	.50	Wrapped
6426BR	12.90	8580-56426	33	.38	Wrapped
6427BR	27.03	8580-56427	87 3/4	.66	Wrapped
6428BR	25.94	8580-56428	105 5/8	.50	Wrapped
6429BR	20.32	9212-46429	44 5/8	.66	Cogged
6431BR	38.03	8580-56431	89 3/4	.50	Wrapped
6432BR	31.80	8580-56432	95 3/4	.50	Wrapped
6433BR	28.40	9213-46433	36 1/2	.38	Cogged
6434BR	24.45	9238-56434	82 3/4	.53	Wrapped
6435BR	18.90	9213-46435	26 1/2	.38	Cogged
6436BR	46.55	9286-46436	55 1/2	1.25	Banded
6437BR	35.96	9286-46437	44 1/8	1.25	Banded
6438BR	20.78	8580-56438	97 1/2	.50	Wrapped
6439BR	20.91	8580-56439	47 1/2	.66	Wrapped
6440BR	41.06	9286-46440	50 7/8	1.25	Banded
6441BR	20.32	9212-46441	44 3/8	.66	Cogged
6442BR	57.36	9286-46442	50	1.25	Banded
6443BR	49.82	8580-56443	83 3/4	.50	Wrapped
6444BR	38.58	8580-56444	83 3/4	.50	Wrapped
6446BR	22.44	9200-56446	52 1/2	.69	Wrapped
6447BR	15.85	8580-56447	52 1/2	.66	Wrapped
6448BR	20.52	8580-56448	67 3/4	.50	Wrapped
6449BR	13.35	8580-56449	55 1/2	.50	Wrapped
6450BR	28.47	8580-56450	88 3/4	.50	Wrapped
6451BR	19.64	8580-56451	62 3/4	.50	Wrapped

0 Available Until Stock Depleted.

Prices Subject to Change Without Notice





BladeRunner® Belts

LIGHT DUTY V-BELTS

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6452BR	\$16.83	8580-56452	95 1/2	.50	Wrapped
6453BR	12.00	8580-56453	30 3/4	.50	Wrapped
6454BR	21.80	8580-56454	82 3/4	.66	Wrapped
6455BR	14.40	9240-56455	70 3/8	.50	Double-V
6456BR	39.68	9240-56456	107 1/2	.50	Double-V
6457BR	27.77	8580-56457	92 3/4	.50	Wrapped
6458BR	27.72	9238-56458	78 7/8	.53	Wrapped
6459BR	23.41	8580-56459	88 3/4	.50	Wrapped
6460BR	12.04	8580-56460	32 3/4	.38	Wrapped
° 6461BR	39.72	8580-56461	95 3/4	.50	Wrapped
6462BR	37.08	8580-56462	84 3/4	.50	Wrapped
6463BR	28.47	9238-56463	88 7/8	.53	Wrapped
6464BR	24.64	8580-56464	64 3/4	.66	Wrapped
6466BR	41.98	9286-46466	45	1.25	Banded
6467BR	23.25	8580-56467	83 3/4	.66	Wrapped
6469BR	9.29	8580-56469	31 1/2	.38	Wrapped
6470BR	41.06	9286-46470	50 3/4	1.25	Banded
6471BR	18.94	9240-56471	73 1/4	.50	Double-V
6472BR	20.32	9212-46472	44 1/4	.66	Cogged
6473BR	30.19	8580-56473	22 1/4	.50	Wrapped
6474BR	21.93	8580-56474	89 1/2	.50	Wrapped
6475BR	16.07	8580-56475	47 1/2	.50	Wrapped
6476BR	28.67	8510-16476	87 3/4	.50	Wrapped
6477BR	27.83	8580-56477	99 1/2	.50	Wrapped
6478BR	21.29	8580-56478	70 1/2	.50	Wrapped
6479BR	36.57	8580-56479	89 3/4	.66	Wrapped
6480BR	34.44	8580-56480	101 7/8	.66	Wrapped
6481BR	36.39	9224-66481	120 1/8	.53	Wrapped
6482BR	31.13	9227-56482	68 3/4	.66	Wrapped
6484BR	42.63	9227-56484	126 1/2	.53	Wrapped
6485BR	44.54	9226-56485	133 3/8	.66	Wrapped
6486BR	44.54	9226-56486	127 5/8	.53	Wrapped
6487BR	22.20	9212-46487	49 1/2	.66	Cogged
6488BR	20.28	8510-16488	69 1/4	.66	Wrapped
6489BR	31.75	8580-56489	93 3/4	.66	Wrapped
6490BR	23.84	8580-56490	90 1/2	.50	Wrapped
6491BR	14.11	8580-56491	53 1/2	.50	Wrapped
6492BR	54.27	8580-56492	109 5/8	.66	Wrapped
6494BR	18.94	8580-56494	35 1/2	.66	Wrapped
6495BR	17.59	8580-56495	56 3/4	.50	Wrapped
6496BR	31.95	8580-56496	91 3/4	.66	Wrapped
6497BR	35.01	8580-56497	83 3/4	.66	Wrapped
6498BR	18.51	8580-56498	53 3/4	.50	Wrapped
6499BR	18.69	8580-56499	52 3/4	.50	Wrapped
6500BR	10.44	8580-56500	40 3/4	.38	Wrapped
6501BR	17.30	8580-56501	74 1/2	.50	Wrapped
6502BR	39.56	8580-56502	67 3/4	.66	Wrapped
6503BR	25.58	8580-56503	86 1/2	.50	Wrapped
6504BR	24.37	8580-56504	84 1/2	.50	Wrapped
6506BR	31.75	8580-56506	81 3/4	.66	Wrapped
6508BR	23.53	8510-16508	80 3/4	.50	Wrapped
6509BR	15.97	8580-56509	40 1/2	.38	Wrapped
6510BR	24.84	8580-56510	54 3/4	.66	Wrapped
6511BR	18.28	8580-56511	38 1/2	.66	Wrapped
6513BR	20.46	8580-56513	81 1/2	.50	Wrapped
6514BR	18.95	8510-16514	41 1/8	.59	Wrapped
6515BR	33.58	8580-56515	81 1/2	.59	Raw Edge
6517BR	14.33	8580-56517	35 1/2	.50	Wrapped
6518BR	23.34	8580-56518	85 3/4	.50	Wrapped
6519BR	20.21	8580-56519	78 1/2	.50	Wrapped
6520BR	16.38	8580-56520	71 3/4	.66	Wrapped
6521BR	29.18	8580-56521	93 1/2	.50	Wrapped
6523BR	43.25	8580-56523	80 3/4	.50	Wrapped
6524BR	27.17	8580-56524	91 1/2	.50	Wrapped
6525BR	29.28	8580-56525	71 3/4	.50	Wrapped
6526BR	26.93	8580-56526	88 3/4	.50	Wrapped

0 Available Until Stock Depleted.

Prices Subject to Change Without Notice





BladeRunner® Belts

LIGHT DUTY V-BELTS

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6527BR	\$29.70	8580-56527	68 3/4	.66	Wrapped
6528BR	13.32	9227-56528	36 1/2	.50	Raw Edge
6529BR	12.80	8580-56529	46 5/8	.50	Raw Edge
6530BR	22.02	8580-56530	63 5/8	.50	Raw Edge
6531BR	41.46	8580-56531	88 3/4	.66	Wrapped
6532BR	17.20	8580-56532	87 1/2	.50	Wrapped
6533BR	19.46	8580-56533	98 1/2	.50	Wrapped
6534BR	6.04	8227-6534	24.64	.38	Wrapped
6535BR	23.53	8580-56535	69 3/4	.66	Wrapped
6536BR	26.62	8580-56536	85 3/4	.66	Wrapped
6537BR	33.11	8580-56537	86 3/4	.66	Wrapped
6538BR	23.53	9286-46538	32 3/4	1.25	Banded
6539BR	45.56	9286-46539	42 1/8	1.25	Banded
6540BR	11.27	8580-56540	22 3/4	.50	Wrapped
◦ 6541BR	36.84	9240-56541	86 3/4	1/2.00	Double-V
6542BR	24.06	8129-56542	65.22	.59	Cogged
6543BR	17.41	8170-56543	58.0	.75	Ribbed
6544BR	8.50	9012-56544	23.66	.50	Cogged
6545BR	12.80	9200-56545	37.1	.53	Wrapped
6546BR	11.87	8580-56546	24.07	.50	Raw Edge
6547BR	29.70	8580-56547	51.79	.66	Cogged
6548BR	20.99	8580-56548	42.54	.66	Cogged
6549BR	30.72	8580-56549	45.55	.66	Cogged
6550BR	21.51	8580-56550	43.82	.66	Cogged
6551BR	36.86	8580-56551	82.17	.50	Wrapped
6552BR	24.57	9227-56552	51.66	.50	Raw Edge
6553BR	17.41	9227-56553	50.12	.50	Raw Edge
6554BR	15.36	8580-56554	35.08	.66	Wrapped
6555BR	28.67	8580-56555	76.94	.66	Wrapped
6556BR	16.38	8580-56556	40.95	.66	Wrapped
6557BR	14.33	8580-56557	38.68	.38	Wrapped
6558BR	32.76	8580-56558	81.17	.50	Wrapped
6559BR	18.84	8580-56559	65.17	.50	Wrapped
◦ 6560BR	29.90	8580-56560	85 3/4	.66	Wrapped
6561BR	25.80	8580-56561	83.15	.66	Wrapped
6562BR	16.38	8580-56562	37.18	.50	Wrapped
6563BR	23.03	8580-56563	50.15	.66	Wrapped
6564BR	24.99	8580-56564	55.15	.66	Wrapped
6565BR	13.21	8580-56565	38.1	.50	Wrapped
6566BR	54.67	9226-56566	139.6	.66	Wrapped
6567BR	57.34	9226-56567	145.6	.66	Wrapped
6568BR	44.54	9226-56568	128.3	.66	Wrapped
6569BR	67.07	9226-56569	168.8	.66	Wrapped
6570BR	63.99	9240-56570	146	.50	Double-V
6571BR	47.10	9240-56571	103.2	.50	Double-V
6572BR	29.18	8580-56572	78.17	.50	Wrapped
6573BR	25.60	8580-56573	82.15	.66	Wrapped
6574BR	60.41	9227-56574	120.6	.66	Wrapped
6575BR	37.27	8580-56575	97.15	.66	Wrapped
6576BR	27.03	8580-56576	51.15	.66	Wrapped
6577BR	39.52	9238-56577	133.8	.50	Wrapped
6578BR	28.67	9238-56578	83.24	.50	Wrapped
6579BR	45.25	9240-56579	106.6	.50	Double-V
6580BR	9.81	8552-56580	56.61	.69	Ribbed
6581BR	18.94	9227-56581	60.37	.50	Raw Edge
6582BR	22.53	8580-56582	90.58	.50	Raw Edge
6583BR	15.36	8580-56583	50.57	.50	Raw Edge
6584BR	35.84	8580-56584	104.63	.66	Raw Edge
6586BR	45.05	9291-46586	49.59	1.25	Raw Edge
6587BR	11.87	8580-56587	27.09	.38	Raw Edge
6588BR	9.73	8580-56588	34.05	.38	Raw Edge
6589BR	50.17	9227-56589	123.04	.66	Wrapped
6590BR	32.87	8580-56590	53.43	.66	Raw Edge
6591BR	38.80	8580-56591	87.15	.66	Wrapped
6592BR	34.09	8580-56592	81.15	.66	Wrapped
6593BR	26.62	9291-46593	55.7	1.22	Banded

◦ Available Until Stock Depleted.

Prices Subject to Change Without Notice





BladeRunner® Belts

LIGHT DUTY V-BELTS

Part No.	Suggested List Price	Product No.	Effective Length (In.)	Top Width (In.)	Belt Type
6595BR	\$11.27	8580-56595	31.89	.38	Cogged
6596BR	60.92	9227-56596	136	.66	Wrapped
6597BR	75.77	9227-56597	153.2	.66	Wrapped
6598BR	67.47	9227-56598	157.7	.66	Wrapped
6599BR	54.16	9227-56599	141.7	.66	Wrapped
6601BR	19.97	8510-16601	82.62	.50	Wrapped
6603BR	23.72	8510-16603	76.67	.50	Wrapped
6604BR	30.61	8580-56604	117	.50	Wrapped
6605BR	18.43	8580-56605	44.95	.66	Wrapped
6606BR	24.77	8580-56606	89.92	.66	Wrapped
6608BR	9.01	8580-56608	19.9	.37	Wrapped
6609BR	14.63	8580-56609	27.60	.37	Raw Edge
6610BR	13.61	8580-56610	28.87	.37	Raw Edge
6611BR	20.16	8580-56611	30.88	.50	Raw Edge
6612BR	11.56	8580-56612	31.05	.37	Raw Edge
6613BR	8.39	8580-56613	29.40	.37	Raw Edge
6614BR	43.97	9220-56614	88.61	.66	Wrapped
6615BR	27.94	9220-56615	112.10	.66	Wrapped
6616BR	60.69	9227-56616	141.50	.66	Wrapped
6617BR	13.15	8580-56617	36.25	.66	Wrapped
6618BR	21.88	8580-56618	31.94	.66	Wrapped
6619BR	13.30	8580-56619	35.68	.37	Wrapped
6620BR	23.95	9224-56620	59.10	.50	Wrapped
6621BR	20.12	8580-56621	32.76	.50	Wrapped
6622BR	72.52	9240-56622	134	.66	Double-V
6623BR	16.17	8580-56623	30.03	.50	Wrapped
6624BR	10.75	8580-56624	30.47	.50	Raw Edge
6625BR	91.09	9288-56625	82.46	1.25	Banded
6626BR	51.48	9227-56626	161.70	.50	Wrapped
6627BR	22.09	9227-56627	87.24	.50	Wrapped
6628BR	54.65	9238-56628	123.42	.50	Raw Edge
6629BR	37.93	9240-56629	80.10	.50	Double-V
6630BR	24.74	9227-56630	69.28	.66	Wrapped
6637BR	17.05	9224-56637	78.85	.53	Wrapped
6638BR	24.17	9224-56638	96.60	.53	Wrapped
6639BR	22.48	9224-56639	52	.53	Wrapped
6640BR	33.46	8510-16640	80.10	.53	Wrapped
6641BR	23.07	9224-56641	87.82	.53	Wrapped
6642BR	24.47	9224-56642	99.10	.53	Wrapped
6643BR	30.73	9238-56643	90.52	.53	Wrapped
6644BR	33.46	9227-56644	76.25	.66	Wrapped
6645BR	38.51	9227-56645	88.40	.66	Wrapped
6671BR	15.37	8580-56671	35.5	.36	Raw Edge
6672BR	17.42	9227-56672	78.90	.53	Wrapped
6673BR	11.01	8580-56673	31.25	.36	Cogged
6674BR	20.64	9238-56674	56.82	.53	Wrapped
6675BR	29.44	9227-56675	75.04	.68	Wrapped
6676BR	31.23	9220-56676	82.90	.68	Wrapped
6677BR	18.37	9220-56677	44.91	.68	Wrapped

Prices Subject to Change Without Notice





Polyflex® Belts


Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

A partial listing of applications include machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and woodworking machines.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65°F to +180°F (-54°C to +85°C).



Recommended Sheaves

Polyflex Sheaves

Notes

Polyflex Belts are available in 3M, 5M, 7M, and 11M cross sections.

Matched sets may have a manufacturing lead time. Contact Customer Service for details.

Product No. Series 8901

Nominal Top Width 1/8"

3M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M180	\$8.46	8901-0180	7.09
3M185	8.46	8901-0185	7.28
3M190	8.46	8901-0190	7.48
3M195	8.46	8901-0195	7.68
3M200	8.46	8901-0200	7.87
3M206	8.46	8901-0206	8.11
3M212	8.46	8901-0212	8.35
3M218	8.46	8901-0218	8.58
3M224	8.46	8901-0224	8.82
3M230	8.46	8901-0230	9.06
3M236	8.46	8901-0236	9.29
3M243	8.46	8901-0243	9.57
3M250	8.46	8901-0250	9.84
3M258	8.46	8901-0258	10.16
3M265	8.46	8901-0265	10.43
3M272	8.46	8901-0272	10.71
3M280	8.46	8901-0280	11.02
3M290	8.46	8901-0290	11.42
3M300	8.46	8901-0300	11.81
3M307	8.46	8901-0307	12.09
3M315	8.46	8901-0315	12.40
3M325	8.46	8901-0325	12.80
3M335	8.46	8901-0335	13.19
3M345	8.46	8901-0345	13.58
3M355	8.46	8901-0355	13.98
3M365	8.46	8901-0365	14.37

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3M375	\$8.46	8901-0375	14.76
3M387	8.46	8901-0387	15.24
3M400	8.46	8901-0400	15.75
3M412	8.67	8901-0412	16.22
3M425	8.67	8901-0425	16.73
3M437	8.91	8901-0437	17.20
3M450	8.91	8901-0450	17.72
3M462	9.04	8901-0462	18.19
3M475	9.04	8901-0475	18.70
3M487	9.17	8901-0487	19.17
3M500	9.17	8901-0500	19.69
3M515	9.21	8901-0515	20.28
3M530	9.44	8901-0530	20.87
3M545	9.44	8901-0545	21.46
3M560	9.58	8901-0560	22.05
3M580	9.95	8901-0580	22.83
3M600	9.98	8901-0600	23.62
3M615	9.98	8901-0615	24.21
3M630	10.27	8901-0630	24.80
3M650	10.32	8901-0650	25.59
3M670	10.44	8901-0670	26.38
3M690	10.94	8901-0690	27.17
3M710	10.97	8901-0710	27.95
3M730	11.02	8901-0730	28.74
3M750	11.40	8901-0750	29.53

Prices Subject to Change Without Notice





Polyflex® Belts

LIGHT DUTY V-BELTS

Product No. Series 8902

Nominal Top Width 3/16"

5M

Part No.	Suggested List Price	Product No.	Effective Length (in.)
5M280	\$12.71	8902-0280	11.02
5M290	12.71	8902-0290	11.42
5M300	12.71	8902-0300	11.81
5M307	12.71	8902-0307	12.09
5M315	12.71	8902-0315	12.40
5M325	12.71	8902-0325	12.80
5M335	12.71	8902-0335	13.19
5M345	12.71	8902-0345	13.58
5M355	12.71	8902-0355	13.98
5M365	12.71	8902-0365	14.37
5M375	12.71	8902-0375	14.76
5M387	12.71	8902-0387	15.24
5M400	12.71	8902-0400	15.75
5M412	12.71	8902-0412	16.22
5M425	12.71	8902-0425	16.73
5M437	12.71	8902-0437	17.20
5M450	12.71	8902-0450	17.72
5M462	12.71	8902-0462	18.19
5M475	12.71	8902-0475	18.70
5M487	12.71	8902-0487	19.17
5M500	12.71	8902-0500	19.69
5M515	12.84	8902-0515	20.28
5M530	13.01	8902-0530	20.87
5M545	13.38	8902-0545	21.46
5M560	13.45	8902-0560	22.05
5M580	13.96	8902-0580	22.83
5M600	14.04	8902-0600	23.62
5M615	14.12	8902-0615	24.21
5M630	14.49	8902-0630	24.80
5M650	14.53	8902-0650	25.59
5M670	14.86	8902-0670	26.38

Part No.	Suggested List Price	Product No.	Effective Length (in.)
5M690	\$14.90	8902-0690	27.17
5M710	15.35	8902-0710	27.95
5M730	15.81	8902-0730	28.74
5M750	16.10	8902-0750	29.53
5M775	16.31	8902-0775	30.51
5M800	16.48	8902-0800	31.50
5M825	16.75	8902-0825	32.48
5M850	16.93	8902-0850	33.46
5M875	17.30	8902-0875	34.45
5M900	18.08	8902-0900	35.43
5M925	18.41	8902-0925	36.42
5M950	18.54	8902-0950	37.40
5M975	18.99	8902-0975	38.39
5M1000	19.15	8902-1000	39.37
5M1030	19.40	8902-1030	40.55
5M1060	19.93	8902-1060	41.73
5M1090	20.51	8902-1090	42.91
5M1120	21.06	8902-1120	44.09
5M1150	21.43	8902-1150	45.28
5M1180	21.54	8902-1180	46.46
5M1220	22.17	8902-1220	48.03
5M1250	22.58	8902-1250	49.21
5M1280	23.25	8902-1280	50.39
5M1320	23.73	8902-1320	51.97
5M1360	24.19	8902-1360	53.54
5M1400	24.77	8902-1400	55.12
5M1450	25.43	8902-1450	57.09
5M1500	26.22	8902-1500	59.06
5M1600	27.75	8902-1600	62.99
5M1650	28.52	8902-1650	64.96
5M1850	32.03	8902-1850	72.83

Product No. Series 8903

Nominal Top Width 9/32"

7M

Part No.	Suggested List Price	Product No.	Effective Length (in.)
7M410	\$18.41	8903-0410	16.14
7M500	18.41	8903-0500	19.69
7M515	18.41	8903-0515	20.28
7M530	18.41	8903-0530	20.87
7M545	18.41	8903-0545	21.46
7M560	18.41	8903-0560	22.05
7M580	18.41	8903-0580	22.83
7M600	18.41	8903-0600	23.62
7M615	18.41	8903-0615	24.21
7M630	18.41	8903-0630	24.80
7M650	18.54	8903-0650	25.59
7M670	18.69	8903-0670	26.38
7M690	18.99	8903-0690	27.17
7M710	19.11	8903-0710	27.95
7M730	19.36	8903-0730	28.74
7M750	19.40	8903-0750	29.53
7M775	19.82	8903-0775	30.51
7M800	20.35	8903-0800	31.50
7M825	20.43	8903-0825	32.48
7M850	20.51	8903-0850	33.46
7M875	21.06	8903-0875	34.45
7M900	21.43	8903-0900	35.43
7M925	21.45	8903-0925	36.42

Part No.	Suggested List Price	Product No.	Effective Length (in.)
7M950	\$21.75	8903-0950	37.40
7M975	22.17	8903-0975	38.39
7M1000	22.21	8903-1000	39.37
7M1030	22.58	8903-1030	40.55
7M1060	23.25	8903-1060	41.73
7M1090	23.56	8903-1090	42.91
7M1120	23.82	8903-1120	44.09
7M1150	24.19	8903-1150	45.28
7M1180	24.40	8903-1180	46.46
7M1220	25.06	8903-1220	48.03
7M1250	25.43	8903-1250	49.21
7M1280	25.96	8903-1280	50.39
7M1320	26.32	8903-1320	51.97
7M1360	26.54	8903-1360	53.54
7M1400	27.36	8903-1400	55.12
7M1450	27.75	8903-1450	57.09
7M1500	28.60	8903-1500	59.06
7M1550	29.35	8903-1550	61.02
7M1600	29.96	8903-1600	62.99
7M1650	30.62	8903-1650	64.96
7M1700	31.20	8903-1700	66.93
7M1750	31.95	8903-1750	68.90
7M1800	33.06	8903-1800	70.87

Prices Subject to Change Without Notice





Polyflex® Belts

LIGHT DUTY V-BELTS

Product No. Series 8903 (continued)

7M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M1850	\$33.36	8903-1850	72.83
7M1900	34.34	8903-1900	74.80
7M1950	35.29	8903-1950	76.77
7M2000	35.83	8903-2000	78.74
7M2060	37.07	8903-2060	81.10

Part No.	Suggested List Price	Product No.	Effective Length (In.)
7M2120	\$38.17	8903-2120	83.46
7M2180	39.38	8903-2180	85.83
7M2240	40.41	8903-2240	88.19
7M2300	41.32	8903-2300	90.55

Nominal Top Width 7/16"



Product No. Series 8904

11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M710	\$29.35	8904-0710	27.95
11M730	29.47	8904-0730	28.74
11M750	30.23	8904-0750	29.53
11M775	30.88	8904-0775	30.51
11M800	31.25	8904-0800	31.50
11M825	31.54	8904-0825	32.48
11M850	32.32	8904-0850	33.46
11M875	33.01	8904-0875	34.45
11M900	33.22	8904-0900	35.43
11M925	33.36	8904-0925	36.42
11M950	34.26	8904-0950	37.40
11M975	34.75	8904-0975	38.39
11M1000	35.17	8904-1000	39.37
11M1030	35.63	8904-1030	40.55
11M1060	36.41	8904-1060	41.73
11M1090	37.00	8904-1090	42.91
11M1120	37.69	8904-1120	44.09
11M1150	37.93	8904-1150	45.28
11M1180	38.72	8904-1180	46.46
11M1220	39.42	8904-1220	48.03
11M1250	40.13	8904-1250	49.21

Part No.	Suggested List Price	Product No.	Effective Length (In.)
11M1280	\$40.53	8904-1280	50.39
11M1320	41.27	8904-1320	51.97
11M1360	41.97	8904-1360	53.54
11M1400	42.89	8904-1400	55.12
11M1450	43.68	8904-1450	57.09
11M1500	44.94	8904-1500	59.06
11M1550	45.90	8904-1550	61.02
11M1600	47.18	8904-1600	62.99
11M1650	48.29	8904-1650	64.96
11M1700	49.61	8904-1700	66.93
11M1750	50.85	8904-1750	68.90
11M1800	51.93	8904-1800	70.87
11M1850	53.25	8904-1850	72.83
11M1900	54.24	8904-1900	74.80
11M1950	55.64	8904-1950	76.77
11M2000	57.08	8904-2000	78.74
11M2060	58.37	8904-2060	81.10
11M2120	60.05	8904-2120	83.46
11M2180	61.74	8904-2180	85.83
11M2240	63.28	8904-2240	88.19
11M2300	64.92	8904-2300	90.55

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Joined Band belt construction provides increased belt stability, preventing belts from turning over or from coming off of the drive.


Unique 60° angle polyurethane construction transmits greater loads at higher speeds in less space than conventional V-belts.

Markets/Applications

Use in place of Polyflex singles on drives requiring joined sets. A partial listing of applications includes machine tools, computer peripherals, medical equipment, library equipment, small appliances, blower drives and dough mixers.

Features/Advantages

- **High Modulus Polyurethane** compound resists fatigue, wear, ozone, and most environmental conditions.
- Precise casting method eliminates layers and overlaps for **smooth running** and **low vibration**.
- **Ribbed backing** provides greater lateral stability and relieves bending stress.
- Working temperature range: -65°F to +180°F (-54°C to +85°C).
- **Joined belt construction** provides high stability, preventing belts from turning over or coming off of the drive.



Recommended Sheaves

Polyflex Sheaves

Notes

Polyflex JB Belts are available in 3M, 5M, 7M, and 11M cross sections.

The Polyflex JB belt part number is comprised of the number of belt strands, cross section, effective length and the "JB" signifying joined band construction. For example; part number 3/5M1000JB represents 3 strands joined together, 5mm top width for each belt strand, effective length of 1000mm and joined band (JB) construction.

Manufacturing lead times may apply to matched sets and to rib configurations other than those listed. Minimum order quantities do not apply for belt lengths listed. Contact Customer Service for details.

Product No. Series 8911

Nominal Strand Width 1/8"

3M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M175JB	\$22.01	8911-2175	6.74
3/3M175JB	33.00	8911-3175	6.74
2/3M180JB	22.01	8911-2180	6.94
3/3M180JB	33.00	8911-3180	6.94
2/3M185JB	22.01	8911-2185	7.13
3/3M185JB	33.00	8911-3185	7.13
2/3M190JB	22.01	8911-2190	7.33
3/3M190JB	33.00	8911-3190	7.33
2/3M195JB	22.01	8911-2195	7.53
3/3M195JB	33.00	8911-3195	7.53
2/3M200JB	22.01	8911-2200	7.72
3/3M200JB	33.00	8911-3200	7.72
2/3M206JB	22.01	8911-2206	7.96
3/3M206JB	33.00	8911-3206	7.96
2/3M212JB	22.01	8911-2212	8.20
3/3M212JB	33.00	8911-3212	8.20
2/3M218JB	22.01	8911-2218	8.43
3/3M218JB	33.00	8911-3218	8.43
2/3M224JB	22.01	8911-2224	8.67
3/3M224JB	33.00	8911-3224	8.67
2/3M230JB	22.01	8911-2230	8.91
3/3M230JB	33.00	8911-3230	8.91
2/3M236JB	22.01	8911-2236	9.14
3/3M236JB	33.00	8911-3236	9.14
2/3M243JB	22.01	8911-2243	9.42
3/3M243JB	33.00	8911-3243	9.42
2/3M250JB	22.01	8911-2250	9.69
3/3M250JB	33.00	8911-3250	9.69

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M258JB	\$22.01	8911-2258	10.01
3/3M258JB	33.00	8911-3258	10.01
2/3M265JB	22.01	8911-2265	10.28
3/3M265JB	33.00	8911-3265	10.28
2/3M272JB	22.01	8911-2272	10.56
3/3M272JB	33.00	8911-3272	10.56
2/3M280JB	22.01	8911-2280	10.87
3/3M280JB	33.00	8911-3280	10.87
2/3M290JB	22.01	8911-2290	11.27
3/3M290JB	33.00	8911-3290	11.27
2/3M300JB	22.01	8911-2300	11.66
3/3M300JB	33.00	8911-3300	11.66
2/3M307JB	22.01	8911-2307	11.94
3/3M307JB	33.00	8911-3307	11.94
2/3M315JB	22.01	8911-2315	12.25
3/3M315JB	33.00	8911-3315	12.25
2/3M325JB	22.01	8911-2325	12.65
3/3M325JB	33.00	8911-3325	12.65
2/3M335JB	22.01	8911-2335	13.04
3/3M335JB	33.00	8911-3335	13.04
2/3M345JB	22.01	8911-2345	13.43
3/3M345JB	33.00	8911-3345	13.43
2/3M350JB	22.01	8911-2350	13.63
3/3M350JB	33.00	8911-3350	13.63
2/3M355JB	22.01	8911-2355	13.83
3/3M355JB	33.00	8911-3355	13.83
2/3M365JB	22.01	8911-2365	14.22
3/3M365JB	33.00	8911-3365	14.22

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8911 (continued)

3M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/3M375JB	\$22.01	8911-2375	14.61
3/3M375JB	33.00	8911-3375	14.61
2/3M387JB	22.01	8911-2387	15.09
3/3M387JB	33.00	8911-3387	15.09
2/3M400JB	22.01	8911-2400	15.60
3/3M400JB	33.00	8911-3400	15.60
2/3M412JB	22.55	8911-2412	16.07
3/3M412JB	33.81	8911-3412	16.07
2/3M425JB	22.55	8911-2425	15.68
3/3M425JB	33.81	8911-3425	15.68
2/3M437JB	23.16	8911-2437	17.06
3/3M437JB	34.75	8911-3437	17.06
2/3M450JB	23.16	8911-2450	17.57
3/3M450JB	34.75	8911-3450	17.57
2/3M462JB	23.51	8911-2462	18.04
3/3M462JB	35.27	8911-3462	18.04
2/3M475JB	23.51	8911-2475	18.55
3/3M475JB	35.27	8911-3475	18.55
2/3M487JB	23.83	8911-2487	19.02
3/3M487JB	35.76	8911-3487	19.02
2/3M500JB	23.83	8911-2500	19.54
3/3M500JB	35.76	8911-3500	19.54
2/3M515JB	23.93	8911-2515	20.13
3/3M515JB	35.90	8911-3515	20.13
2/3M530JB	24.55	8911-2530	20.72

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/3M530JB	\$36.83	8911-3530	20.72
2/3M545JB	24.55	8911-2545	21.31
3/3M545JB	36.83	8911-3545	21.31
2/3M560JB	24.90	8911-2560	21.90
3/3M560JB	37.36	8911-3560	21.90
2/3M580JB	25.88	8911-2580	22.69
3/3M580JB	38.79	8911-3580	22.69
2/3M600JB	25.97	8911-2600	23.47
3/3M600JB	38.96	8911-3600	23.47
2/3M615JB	25.97	8911-2615	24.06
3/3M615JB	38.96	8911-3615	24.06
2/3M630JB	26.72	8911-2630	24.65
3/3M630JB	40.07	8911-3630	24.65
2/3M650JB	26.84	8911-2650	25.44
3/3M650JB	40.25	8911-3650	25.44
2/3M670JB	27.14	8911-2670	26.23
3/3M670JB	40.71	8911-3670	26.23
2/3M690JB	28.46	8911-2690	27.01
3/3M690JB	42.68	8911-3690	27.01
2/3M710JB	28.53	8911-2710	27.80
3/3M710JB	42.79	8911-3710	27.80
2/3M730JB	28.65	8911-2730	28.59
3/3M730JB	42.98	8911-3730	28.59
2/3M750JB	29.62	8911-2750	29.38
3/3M750JB	44.43	8911-3750	29.38

Product No. Series 8912

5M

Nominal Strand Width 3/16"



Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/5M280JB	\$33.06	8912-2280	11.02
3/5M280JB	49.60	8912-3280	11.02
4/5M280JB	66.12	8912-4280	11.02
5/5M280JB	82.65	8912-5280	11.02
2/5M290JB	33.06	8912-2290	11.42
3/5M290JB	49.60	8912-3290	11.42
4/5M290JB	66.12	8912-4290	11.42
5/5M290JB	82.65	8912-5290	11.42
2/5M300JB	33.06	8912-2300	11.81
3/5M300JB	49.60	8912-3300	11.81
4/5M300JB	66.12	8912-4300	11.81
5/5M300JB	82.65	8912-5300	11.81
2/5M307JB	33.06	8912-2307	12.09
3/5M307JB	49.60	8912-3307	12.09
4/5M307JB	66.12	8912-4307	12.09
5/5M307JB	82.65	8912-5307	12.09
2/5M315JB	33.06	8912-2315	12.40
3/5M315JB	49.60	8912-3315	12.40
4/5M315JB	66.12	8912-4315	12.40
5/5M315JB	82.65	8912-5315	12.40
2/5M325JB	33.06	8912-2325	12.80
3/5M325JB	49.60	8912-3325	12.80
4/5M325JB	66.12	8912-4325	12.80
5/5M325JB	82.65	8912-5325	12.80
2/5M335JB	33.06	8912-2335	13.19
3/5M335JB	49.60	8912-3335	13.19
4/5M335JB	66.12	8912-4335	13.19
5/5M335JB	82.65	8912-5335	13.19
2/5M345JB	33.06	8912-2345	13.58

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/5M345JB	\$49.60	8912-3345	13.58
4/5M345JB	66.12	8912-4345	13.58
5/5M345JB	82.65	8912-5345	13.58
2/5M355JB	33.06	8912-2355	13.98
3/5M355JB	49.60	8912-3355	13.98
4/5M355JB	66.12	8912-4355	13.98
5/5M355JB	82.65	8912-5355	13.98
2/5M365JB	33.06	8912-2365	14.37
3/5M365JB	49.60	8912-3365	14.37
4/5M365JB	66.12	8912-4365	14.37
5/5M365JB	82.65	8912-5365	14.37
2/5M375JB	33.06	8912-2375	14.76
3/5M375JB	49.60	8912-3375	14.76
4/5M375JB	66.12	8912-4375	14.76
5/5M375JB	82.65	8912-5375	14.76
2/5M387JB	33.06	8912-2387	15.24
3/5M387JB	49.60	8912-3387	15.24
4/5M387JB	66.12	8912-4387	15.24
5/5M387JB	82.65	8912-5387	15.24
2/5M400JB	33.06	8912-2400	15.75
3/5M400JB	49.60	8912-3400	15.75
4/5M400JB	66.12	8912-4400	15.75
5/5M400JB	82.65	8912-5400	15.75
2/5M412JB	33.06	8912-2412	16.22
3/5M412JB	49.60	8912-3412	16.22
4/5M412JB	66.12	8912-4412	16.22
5/5M412JB	82.65	8912-5412	16.22
2/5M425JB	33.06	8912-2425	16.73
3/5M425JB	49.60	8912-3425	16.73

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M425JB	\$66.12	8912-4425	16.73
5/5M425JB	82.65	8912-5425	16.73
2/5M437JB	33.06	8912-2437	17.20
3/5M437JB	49.60	8912-3437	17.20
4/5M437JB	66.12	8912-4437	17.20
5/5M437JB	82.65	8912-5437	17.20
2/5M450JB	33.06	8912-2450	17.72
3/5M450JB	49.60	8912-3450	17.72
4/5M450JB	66.12	8912-4450	17.72
5/5M450JB	82.65	8912-5450	17.72
2/5M462JB	33.06	8912-2462	18.19
3/5M462JB	49.60	8912-3462	18.19
4/5M462JB	66.12	8912-4462	18.19
5/5M462JB	82.65	8912-5462	18.19
2/5M475JB	33.06	8912-2475	18.70
3/5M475JB	49.60	8912-3475	18.70
4/5M475JB	66.12	8912-4475	18.70
5/5M475JB	82.65	8912-5475	18.70
2/5M487JB	33.06	8912-2487	19.17
3/5M487JB	49.60	8912-3487	19.17
4/5M487JB	66.12	8912-4487	19.17
5/5M487JB	82.65	8912-5487	19.17
2/5M500JB	33.06	8912-2500	19.69
3/5M500JB	49.60	8912-3500	19.69
4/5M500JB	66.12	8912-4500	19.69
5/5M500JB	82.65	8912-5500	19.69
2/5M515JB	33.38	8912-2515	20.28
3/5M515JB	50.08	8912-3515	20.28
4/5M515JB	66.75	8912-4515	20.28
5/5M515JB	83.45	8912-5515	20.28
2/5M530JB	33.80	8912-2530	20.87
3/5M530JB	50.72	8912-3530	20.87
4/5M530JB	67.61	8912-4530	20.87
5/5M530JB	84.52	8912-5530	20.87
2/5M545JB	34.78	8912-2545	21.46
3/5M545JB	52.17	8912-3545	21.46
4/5M545JB	69.56	8912-4545	21.46
5/5M545JB	86.95	8912-5545	21.46
2/5M560JB	34.99	8912-2560	22.05
3/5M560JB	52.48	8912-3560	22.05
4/5M560JB	69.97	8912-4560	22.05
5/5M560JB	87.47	8912-5560	22.05
2/5M580JB	36.28	8912-2580	22.83
3/5M580JB	54.42	8912-3580	22.83
4/5M580JB	72.55	8912-4580	22.83
5/5M580JB	90.69	8912-5580	22.83
2/5M600JB	36.49	8912-2600	23.62
3/5M600JB	54.74	8912-3600	23.62
4/5M600JB	72.98	8912-4600	23.62
5/5M600JB	91.22	8912-5600	23.62
2/5M615JB	36.70	8912-2615	24.21
3/5M615JB	55.06	8912-3615	24.21
4/5M615JB	73.39	8912-4615	24.21
5/5M615JB	91.74	8912-5615	24.21
2/5M630JB	37.67	8912-2630	24.80
3/5M630JB	56.50	8912-3630	24.80
4/5M630JB	75.32	8912-4630	24.80
5/5M630JB	94.16	8912-5630	24.80
2/5M650JB	37.77	8912-2650	25.59
3/5M650JB	56.66	8912-3650	25.59
4/5M650JB	75.53	8912-4650	25.59
5/5M650JB	94.42	8912-5650	25.59

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/5M670JB	\$38.63	8912-2670	26.38
3/5M670JB	57.94	8912-3670	26.38
4/5M670JB	77.27	8912-4670	26.38
5/5M670JB	96.58	8912-5670	26.38
2/5M690JB	38.74	8912-2690	27.17
3/5M690JB	58.11	8912-3690	27.17
4/5M690JB	77.48	8912-4690	27.17
5/5M690JB	96.85	8912-5690	27.17
2/5M710JB	39.91	8912-2710	27.95
3/5M710JB	59.87	8912-3710	27.95
4/5M710JB	79.83	8912-4710	27.95
5/5M710JB	99.79	8912-5710	27.95
2/5M730JB	41.11	8912-2730	28.74
3/5M730JB	61.68	8912-3730	28.74
4/5M730JB	82.22	8912-4730	28.74
5/5M730JB	102.79	8912-5730	28.74
2/5M750JB	41.86	8912-2750	29.53
3/5M750JB	62.79	8912-3750	29.53
4/5M750JB	83.70	8912-4750	29.53
5/5M750JB	104.65	8912-5750	29.53
2/5M775JB	42.40	8912-2775	30.51
3/5M775JB	63.60	8912-3775	30.51
4/5M775JB	84.80	8912-4775	30.51
5/5M775JB	105.99	8912-5775	30.51
2/5M800JB	42.83	8912-2800	31.50
3/5M800JB	64.23	8912-3800	31.50
4/5M800JB	85.65	8912-4800	31.50
5/5M800JB	107.07	8912-5800	31.50
2/5M825JB	43.58	8912-2825	32.48
3/5M825JB	65.36	8912-3825	32.48
4/5M825JB	87.14	8912-4825	32.48
5/5M825JB	108.92	8912-5825	32.48
2/5M850JB	44.00	8912-2850	33.46
3/5M850JB	66.02	8912-3850	33.46
4/5M850JB	88.00	8912-4850	33.46
5/5M850JB	110.02	8912-5850	33.46
2/5M875JB	44.97	8912-2875	34.45
3/5M875JB	67.46	8912-3875	34.45
4/5M875JB	89.93	8912-4875	34.45
5/5M875JB	112.42	8912-5875	34.45
2/5M900JB	47.02	8912-2900	35.43
3/5M900JB	70.52	8912-3900	35.43
4/5M900JB	94.04	8912-4900	35.43
5/5M900JB	117.55	8912-5900	35.43
2/5M925JB	47.86	8912-2925	36.42
3/5M925JB	71.79	8912-3925	36.42
4/5M925JB	95.72	8912-4925	36.42
5/5M925JB	119.65	8912-5925	36.42
2/5M950JB	48.19	8912-2950	37.40
3/5M950JB	72.30	8912-3950	37.40
4/5M950JB	96.39	8912-4950	37.40
5/5M950JB	120.49	8912-5950	37.40
2/5M975JB	49.37	8912-2975	38.39
3/5M975JB	74.06	8912-3975	38.39
4/5M975JB	98.74	8912-4975	38.39
5/5M975JB	123.43	8912-5975	38.39
2/5M1000JB	49.80	8912-2100	39.37
3/5M1000JB	74.72	8912-3100	39.37
4/5M1000JB	99.62	8912-4100	39.37
5/5M1000JB	124.52	8912-5100	39.37
2/5M1030JB	50.45	8912-2103	40.55
3/5M1030JB	75.67	8912-3103	40.55

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8912 (continued)

5M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/5M1030JB	\$100.89	8912-4103	40.55
5/5M1030JB	126.11	8912-5103	40.55
2/5M1060JB	51.84	8912-2106	41.73
3/5M1060JB	77.77	8912-3106	41.73
4/5M1060JB	103.68	8912-4106	41.73
5/5M1060JB	129.61	8912-5106	41.73
2/5M1090JB	53.34	8912-2109	42.91
3/5M1090JB	80.00	8912-3109	42.91
4/5M1090JB	106.66	8912-4109	42.91
5/5M1090JB	133.34	8912-5109	42.91
2/5M1120JB	54.74	8912-2112	44.09
3/5M1120JB	82.09	8912-3112	44.09
4/5M1120JB	109.47	8912-4112	44.09
5/5M1120JB	136.83	8912-5112	44.09
2/5M1150JB	55.70	8912-2115	45.28
3/5M1150JB	83.55	8912-3115	45.28
4/5M1150JB	111.39	8912-4115	45.28
5/5M1150JB	139.26	8912-5115	45.28
2/5M1180JB	56.01	8912-2118	46.46
3/5M1180JB	84.02	8912-3118	46.46
4/5M1180JB	112.03	8912-4118	46.46
5/5M1180JB	140.04	8912-5118	46.46
2/5M1220JB	57.62	8912-2122	48.03
3/5M1220JB	86.43	8912-3122	48.03
4/5M1220JB	115.24	8912-4122	48.03
5/5M1220JB	144.05	8912-5122	48.03
2/5M1250JB	58.68	8912-2125	49.21

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/5M1250JB	\$88.04	8912-3125	49.21
4/5M1250JB	117.38	8912-4125	49.21
5/5M1250JB	146.73	8912-5125	49.21
2/5M1280JB	60.42	8912-2128	50.39
3/5M1280JB	90.65	8912-3128	50.39
4/5M1280JB	120.85	8912-4128	50.39
5/5M1280JB	151.08	8912-5128	50.39
2/5M1320JB	61.71	8912-2132	51.97
3/5M1320JB	92.57	8912-3132	51.97
4/5M1320JB	123.42	8912-4132	51.97
5/5M1320JB	154.27	8912-5132	51.97
2/5M1360JB	62.89	8912-2136	53.54
3/5M1360JB	94.32	8912-3136	53.54
4/5M1360JB	125.78	8912-4136	53.54
5/5M1360JB	157.22	8912-5136	53.54
2/5M1400JB	64.39	8912-2140	55.12
3/5M1400JB	96.59	8912-3140	55.12
4/5M1400JB	128.77	8912-4140	55.12
5/5M1400JB	160.97	8912-5140	55.12
2/5M1450JB	66.10	8912-2145	57.09
3/5M1450JB	99.15	8912-3145	57.09
4/5M1450JB	132.20	8912-4145	57.09
5/5M1450JB	165.25	8912-5145	57.09
2/5M1500JB	68.15	8912-2150	59.06
3/5M1500JB	102.23	8912-3150	59.06
4/5M1500JB	136.31	8912-4150	59.06
5/5M1500JB	170.39	8912-5150	59.06

Product No. Series 8913

7M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M500JB	\$47.86	8913-2500	19.30
3/7M500JB	71.79	8913-3500	19.30
4/7M500JB	95.72	8913-4500	19.30
5/7M500JB	119.65	8913-5500	19.30
2/7M515JB	47.86	8913-2515	19.90
3/7M515JB	71.79	8913-3515	19.90
4/7M515JB	95.72	8913-4515	19.90
5/7M515JB	119.65	8913-5515	19.90
2/7M530JB	47.86	8913-2530	20.50
3/7M530JB	71.79	8913-3530	20.50
4/7M530JB	95.72	8913-4530	20.50
5/7M530JB	119.65	8913-5530	20.50
2/7M545JB	47.86	8913-2545	21.10
3/7M545JB	71.79	8913-3545	21.10
4/7M545JB	95.72	8913-4545	21.10
5/7M545JB	119.65	8913-5545	21.10
2/7M560JB	47.86	8913-2560	21.60
3/7M560JB	71.79	8913-3560	21.60
4/7M560JB	95.72	8913-4560	21.60
5/7M560JB	119.65	8913-5560	21.60
2/7M580JB	47.86	8913-2580	22.40
3/7M580JB	71.79	8913-3580	22.40
4/7M580JB	95.72	8913-4580	22.40
5/7M580JB	119.65	8913-5580	22.40
2/7M600JB	47.86	8913-2600	23.20
3/7M600JB	71.79	8913-3600	23.20
4/7M600JB	95.72	8913-4600	23.20

Nominal Strand Width 3/32"



Part No.	Suggested List Price	Product No.	Effective Length (In.)
5/7M600JB	\$119.65	8913-5600	23.20
2/7M615JB	47.86	8913-2615	23.80
3/7M615JB	71.79	8913-3615	23.80
4/7M615JB	95.72	8913-4615	23.80
5/7M615JB	119.65	8913-5615	23.80
2/7M630JB	47.86	8913-2630	24.40
3/7M630JB	71.79	8913-3630	24.40
4/7M630JB	95.72	8913-4630	24.40
5/7M630JB	119.65	8913-5630	24.40
2/7M650JB	48.19	8913-2650	25.20
3/7M650JB	72.30	8913-3650	25.20
4/7M650JB	96.39	8913-4650	25.20
5/7M650JB	120.49	8913-5650	25.20
2/7M670JB	48.63	8913-2670	26.00
3/7M670JB	72.93	8913-3670	26.00
4/7M670JB	97.25	8913-4670	26.00
5/7M670JB	121.56	8913-5670	26.00
2/7M690JB	49.37	8913-2690	26.80
3/7M690JB	74.06	8913-3690	26.80
4/7M690JB	98.74	8913-4690	26.80
5/7M690JB	123.43	8913-5690	26.80
2/7M710JB	49.71	8913-2710	27.70
3/7M710JB	74.55	8913-3710	27.70
4/7M710JB	99.41	8913-4710	27.70
5/7M710JB	124.25	8913-5710	27.70
2/7M730JB	50.34	8913-2730	28.50
3/7M730JB	75.51	8913-3730	28.50

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8913 (continued)

7M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/7M730JB	\$100.69	8913-4730	28.50
5/7M730JB	125.86	8913-5730	28.50
2/7M750JB	50.45	8913-2750	29.30
3/7M750JB	75.67	8913-3750	29.30
4/7M750JB	100.89	8913-4750	29.30
5/7M750JB	126.11	8913-5750	29.30
2/7M775JB	51.52	8913-2775	30.30
3/7M775JB	77.27	8913-3775	30.30
4/7M775JB	103.03	8913-4775	30.30
5/7M775JB	128.78	8913-5775	30.30
2/7M800JB	52.91	8913-2800	31.20
3/7M800JB	79.37	8913-3800	31.20
4/7M800JB	105.82	8913-4800	31.20
5/7M800JB	132.29	8913-5800	31.20
2/7M825JB	53.12	8913-2825	32.20
3/7M825JB	79.69	8913-3825	32.20
4/7M825JB	106.24	8913-4825	32.20
5/7M825JB	132.81	8913-5825	32.20
2/7M850JB	53.34	8913-2850	33.20
3/7M850JB	80.00	8913-3850	33.20
4/7M850JB	106.66	8913-4850	33.20
5/7M850JB	133.34	8913-5850	33.20
2/7M875JB	54.74	8913-2875	34.20
3/7M875JB	82.09	8913-3875	34.20
4/7M875JB	109.47	8913-4875	34.20
5/7M875JB	136.83	8913-5875	34.20
2/7M900JB	55.70	8913-2900	35.20
3/7M900JB	83.55	8913-3900	35.20
4/7M900JB	111.39	8913-4900	35.20
5/7M900JB	139.26	8913-5900	35.20
2/7M925JB	55.81	8913-2925	36.20
3/7M925JB	83.70	8913-3925	36.20
4/7M925JB	111.61	8913-4925	36.20
5/7M925JB	139.51	8913-5925	36.20
2/7M950JB	56.55	8913-2950	37.20
3/7M950JB	84.83	8913-3950	37.20
4/7M950JB	113.10	8913-4950	37.20
5/7M950JB	141.38	8913-5950	37.20
2/7M975JB	57.62	8913-2975	38.10
3/7M975JB	86.43	8913-3975	38.10
4/7M975JB	115.24	8913-4975	38.10
5/7M975JB	144.05	8913-5975	38.10
2/7M1000JB	57.75	8913-2100	39.10
3/7M1000JB	86.63	8913-3100	39.10
4/7M1000JB	115.50	8913-4100	39.10
5/7M1000JB	144.38	8913-5100	39.10
2/7M1030JB	58.68	8913-2103	40.30
3/7M1030JB	88.04	8913-3103	40.30
4/7M1030JB	117.38	8913-4103	40.30
5/7M1030JB	146.73	8913-5103	40.30
2/7M1060JB	60.42	8913-2106	41.50
3/7M1060JB	90.65	8913-3106	41.50
4/7M1060JB	120.85	8913-4106	41.50
5/7M1060JB	151.08	8913-5106	41.50
2/7M1090JB	61.27	8913-2109	42.70
3/7M1090JB	91.91	8913-3109	42.70
4/7M1090JB	122.56	8913-4109	42.70
5/7M1090JB	153.20	8913-5109	42.70
2/7M1120JB	61.92	8913-2112	43.80
3/7M1120JB	92.88	8913-3112	43.80
4/7M1120JB	123.83	8913-4112	43.80
5/7M1120JB	154.80	8913-5112	43.80

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/7M1150JB	\$62.89	8913-2115	45.00
3/7M1150JB	94.32	8913-3115	45.00
4/7M1150JB	125.78	8913-4115	45.00
5/7M1150JB	157.22	8913-5115	45.00
2/7M1180JB	63.43	8913-2118	46.20
3/7M1180JB	95.14	8913-3118	46.20
4/7M1180JB	126.85	8913-4118	46.20
5/7M1180JB	158.57	8913-5118	46.20
2/7M1220JB	65.13	8913-2122	47.80
3/7M1220JB	97.71	8913-3122	47.80
4/7M1220JB	130.27	8913-4122	47.80
5/7M1220JB	162.84	8913-5122	47.80
2/7M1250JB	66.10	8913-2125	49.00
3/7M1250JB	99.15	8913-3125	49.00
4/7M1250JB	132.20	8913-4125	49.00
5/7M1250JB	165.25	8913-5125	49.00
2/7M1280JB	67.51	8913-2128	50.10
3/7M1280JB	101.27	8913-3128	50.10
4/7M1280JB	135.02	8913-4128	50.10
5/7M1280JB	168.78	8913-5128	50.10
2/7M1320JB	68.48	8913-2132	51.70
3/7M1320JB	102.72	8913-3132	51.70
4/7M1320JB	136.95	8913-4132	51.70
5/7M1320JB	171.19	8913-5132	51.70
2/7M1360JB	69.01	8913-2136	53.30
3/7M1360JB	103.52	8913-3136	53.30
4/7M1360JB	138.03	8913-4136	53.30
5/7M1360JB	172.53	8913-5136	53.30
2/7M1400JB	71.16	8913-2140	54.90
3/7M1400JB	106.74	8913-3140	54.90
4/7M1400JB	142.32	8913-4140	54.90
5/7M1400JB	177.90	8913-5140	54.90
2/7M1450JB	72.12	8913-2145	56.80
3/7M1450JB	108.17	8913-3145	56.80
4/7M1450JB	144.23	8913-4145	56.80
5/7M1450JB	180.29	8913-5145	56.80
2/7M1500JB	74.39	8913-2150	58.80
3/7M1500JB	111.59	8913-3150	58.80
4/7M1500JB	148.77	8913-4150	58.80
5/7M1500JB	185.97	8913-5150	58.80
2/7M1550JB	76.30	8913-2155	60.80
3/7M1550JB	114.45	8913-3155	60.80
4/7M1550JB	152.59	8913-4155	60.80
5/7M1550JB	190.75	8913-5155	60.80
2/7M1600JB	77.91	8913-2160	62.70
3/7M1600JB	116.87	8913-3160	62.70
4/7M1600JB	155.82	8913-4160	62.70
5/7M1600JB	194.78	8913-5160	62.70
2/7M1650JB	79.63	8913-2165	64.70
3/7M1650JB	119.45	8913-3165	64.70
4/7M1650JB	159.26	8913-4165	64.70
5/7M1650JB	199.08	8913-5165	64.70
2/7M1700JB	81.12	8913-2170	66.70
3/7M1700JB	121.70	8913-3170	66.70
4/7M1700JB	162.26	8913-4170	66.70
5/7M1700JB	202.82	8913-5170	66.70
2/7M1750JB	83.07	8913-2175	68.60
3/7M1750JB	124.59	8913-3175	68.60
4/7M1750JB	166.13	8913-4175	68.60
5/7M1750JB	207.66	8913-5175	68.60
2/7M1800JB	85.95	8913-2180	70.60
3/7M1800JB	128.93	8913-3180	70.60

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8913 (continued)

7M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
4/7M1800JB	\$171.90	8913-4180	70.60
5/7M1800JB	214.88	8913-5180	70.60
2/7M1850JB	86.73	8913-2185	72.60
3/7M1850JB	130.09	8913-3185	72.60
4/7M1850JB	173.45	8913-4185	72.60
5/7M1850JB	216.82	8913-5185	72.60
2/7M1900JB	89.28	8913-2190	74.60
3/7M1900JB	133.93	8913-3190	74.60
4/7M1900JB	178.57	8913-4190	74.60
5/7M1900JB	223.21	8913-5190	74.60
2/7M1950JB	91.76	8913-2195	76.50
3/7M1950JB	137.63	8913-3195	76.50
4/7M1950JB	183.51	8913-4195	76.50
5/7M1950JB	229.39	8913-5195	76.50
2/7M2000JB	93.16	8913-2200	78.50
3/7M2000JB	139.75	8913-3200	78.50
4/7M2000JB	186.32	8913-4200	78.50
5/7M2000JB	232.91	8913-5200	78.50
2/7M2060JB	96.80	8913-2206	80.90

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/7M2060JB	\$145.20	8913-3206	80.90
4/7M2060JB	193.60	8913-4206	80.90
5/7M2060JB	242.00	8913-5206	80.90
2/7M2120JB	99.27	8913-2212	83.20
3/7M2120JB	148.91	8913-3212	83.20
4/7M2120JB	198.54	8913-4212	83.20
5/7M2120JB	248.18	8913-5212	83.20
2/7M2180JB	102.40	8913-2218	85.60
3/7M2180JB	153.59	8913-3218	85.60
4/7M2180JB	204.78	8913-4218	85.60
5/7M2180JB	255.98	8913-5218	85.60
2/7M2240JB	105.07	8913-2224	87.90
3/7M2240JB	157.61	8913-3224	87.90
4/7M2240JB	210.13	8913-4224	87.90
5/7M2240JB	262.67	8913-5224	87.90
2/7M2300JB	107.43	8913-2230	90.30
3/7M2300JB	161.14	8913-3230	90.30
4/7M2300JB	214.85	8913-4230	90.30
5/7M2300JB	268.57	8913-5230	90.30

Product No. Series 8914

11M

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M710JB	\$76.30	8914-2710	27.30
3/11M710JB	114.45	8914-3710	27.30
2/11M730JB	76.64	8914-2730	28.00
3/11M730JB	114.95	8914-3730	28.00
2/11M750JB	78.55	8914-2750	28.80
3/11M750JB	117.81	8914-3750	28.80
2/11M775JB	80.28	8914-2775	29.80
3/11M775JB	120.42	8914-3775	29.80
2/11M800JB	81.23	8914-2800	30.80
3/11M800JB	121.86	8914-3800	30.80
2/11M825JB	81.98	8914-2825	31.80
3/11M825JB	122.99	8914-3825	31.80
2/11M850JB	84.04	8914-2850	32.80
3/11M850JB	126.07	8914-3850	32.80
2/11M875JB	85.86	8914-2875	33.70
3/11M875JB	128.78	8914-3875	33.70
2/11M900JB	86.40	8914-2900	34.70
3/11M900JB	129.59	8914-3900	34.70
2/11M925JB	86.73	8914-2925	35.70
3/11M925JB	130.09	8914-3925	35.70
2/11M950JB	89.07	8914-2950	36.70
3/11M950JB	133.61	8914-3950	36.70
2/11M975JB	90.35	8914-2975	37.70
3/11M975JB	135.53	8914-3975	37.70
2/11M1000JB	91.44	8914-2100	38.70
3/11M1000JB	137.14	8914-3100	38.70
2/11M1030JB	92.63	8914-2103	39.90
3/11M1030JB	138.95	8914-3103	39.90
2/11M1060JB	94.64	8914-2106	41.00
3/11M1060JB	141.96	8914-3106	41.00
2/11M1090JB	96.16	8914-2109	42.20
3/11M1090JB	144.24	8914-3109	42.20
2/11M1120JB	97.98	8914-2112	43.40
3/11M1120JB	146.99	8914-3112	43.40
2/11M1150JB	98.63	8914-2115	44.60

Nominal Strand Width 7/16"



Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/11M1150JB	\$147.95	8914-3115	44.60
2/11M1180JB	100.68	8914-2118	45.80
3/11M1180JB	151.02	8914-3118	45.80
2/11M1220JB	102.48	8914-2122	47.30
3/11M1220JB	153.73	8914-3122	47.30
2/11M1250JB	104.31	8914-2125	48.50
3/11M1250JB	156.47	8914-3125	48.50
2/11M1280JB	105.39	8914-2128	49.70
3/11M1280JB	158.10	8914-3128	49.70
2/11M1320JB	107.32	8914-2132	51.30
3/11M1320JB	160.97	8914-3132	51.30
2/11M1360JB	109.13	8914-2136	52.80
3/11M1360JB	163.70	8914-3136	52.80
2/11M1400JB	111.51	8914-2140	54.40
3/11M1400JB	167.27	8914-3140	54.40
2/11M1450JB	113.55	8914-2145	56.40
3/11M1450JB	170.33	8914-3145	56.40
2/11M1500JB	116.87	8914-2150	58.40
3/11M1500JB	175.31	8914-3150	58.40
2/11M1550JB	119.32	8914-2155	60.30
3/11M1550JB	179.00	8914-3155	60.30
2/11M1600JB	122.67	8914-2160	62.30
3/11M1600JB	184.01	8914-3160	62.30
2/11M1650JB	125.56	8914-2165	64.30
3/11M1650JB	188.35	8914-3165	64.30
2/11M1700JB	128.99	8914-2170	66.20
3/11M1700JB	193.48	8914-3170	66.20
2/11M1750JB	132.21	8914-2175	68.20
3/11M1750JB	198.30	8914-3175	68.20
2/11M1800JB	135.01	8914-2180	70.20
3/11M1800JB	202.51	8914-3180	70.20
2/11M1850JB	138.43	8914-2185	72.10
3/11M1850JB	207.66	8914-3185	72.10
2/11M1900JB	141.02	8914-2190	74.10
3/11M1900JB	211.54	8914-3190	74.10

Prices Subject to Change Without Notice





Polyflex® JB® Belts

LIGHT DUTY V-BELTS

Product No. Series 8914 (continued)

11M (continued)

Part No.	Suggested List Price	Product No.	Effective Length (In.)
2/11M1950JB	\$144.67	8914-2195	76.10
3/11M1950JB	217.01	8914-3195	76.10
2/11M2000JB	148.43	8914-2200	78.00
3/11M2000JB	222.65	8914-3200	78.00
2/11M2060JB	151.75	8914-2206	80.40
3/11M2060JB	227.63	8914-3206	80.40
2/11M2120JB	156.15	8914-2212	82.80

Part No.	Suggested List Price	Product No.	Effective Length (In.)
3/11M2120JB	\$234.22	8914-3212	82.80
2/11M2180JB	160.55	8914-2218	85.10
3/11M2180JB	240.83	8914-3218	85.10
2/11M2240JB	164.53	8914-2224	87.50
3/11M2240JB	246.80	8914-3224	87.50
2/11M2300JB	168.82	8914-2230	89.90
3/11M2300JB	253.23	8914-3230	89.90

Prices Subject to Change Without Notice

